

I. Reserch Papers

1. M. Hieber, Y. Naito and Y. Shibata, On the Non-newtonian fluid in an exterior domain in three dimensions, *J. Differential Equations* 252 (2012), 2617-2629.
2. Y. Shibata and Senjo Shimizu, On the maximal $L_p - L_q$ regularity of the Stokes problem with first order boundary condition; model problems, *J. Math. Soc. Japan*, 64(2)(2012), 561-626
3. Y. Enomoto and Y. Shibata, On some decay properties of Stokes semigroup of compressible viscous fluid flow in a 2-dimensional exterior domain, *J. Differential Equations*, 252 (2012), 6214-6249
4. Y. Enomoto and Y. Shibata, About compressible viscous fluid flow in a 2-dimensional exterior domain, *Spectral theory, mathematical system theory, evolution equations, differential and difference equations*, 305-321, *Oper. Theory Adv. Appl.*, 221 Birkhauser/Springer Basel Ag, Basel, 2012
5. Y. Shibata, On a generalized resolvent estimates of the Stokes equations with first order boundary condition in a general domain, *J. Math. Fluid Mech.* 15(2013), 1-40.
6. Y. Enomoto and Y. Shibata, On the R-sectoriality and the initial boundary value problem for the viscous compressible fluid flow, to appear in *Funkcialaj Ekvacioj*
7. J.Fan and T.Ozawa, Uniqueness of weak solutions to the 3D Ginzburg-Landau model for superconductivity. *Int. J. Math. Anal. (Ruse)* 6 (2012), no. 21-24, 1095-1104.
8. J.Fan and T.Ozawa, Continuation criterion for the 2D liquid crystal flows. *ISRN Math. Anal.* 2012, Art. ID 248473, 7 pp.
9. J.Fan and T.Ozawa, Regularity criterion for the 3D nematic liquid crystal flows. *ISRN Math. Anal.* 2012, Art. ID 935045, 10 pp.
10. J. Fan and T.Ozawa, Global strong solutions of the time-dependent Ginzburg-Landau model for superconductivity with a new gauge. *Int. J. Math. Anal.* 6 (2012), no. 33-36, 1679-1684.
11. J.Fan and T.Ozawa, Uniqueness of weak solutions to the Ginzburg-Landau model for superconductivity. *Z. Angew. Math. Phys.* 63 (2012), no. 3, 453-459.
12. S.Katayama, T.Ozawa and H.Sunagawa, A note on the null condition for quadratic nonlinear Klein-Gordon systems in two space dimensions. *Comm. Pure Appl. Math.* 65 (2012), no. 9, 1285-1302.

13. J.Fan and T.Ozawa, Regularity criteria for hyperbolic Navier-Stokes and related system. *ISRN Math. Anal.* 2012, Art. ID 796368, 7 pp.
14. T.Ozawa and H.Sunagawa, Small data blow-up for a system of nonlinear Schrodinger equations, *J. Math. Anal. Appl.*, 399(2013), 147-155.
15. K.Nakamura and T.Ozawa, Finite charge solutions to cubic Schrodinger equations with a nonlocal nonlinearity in one space dimension. *Discrete Contin. Dyn. Syst.* 33 (2013), no. 2, 789-801.
16. Y. Cho, G. Hwang and T.Ozawa, Global well-posedness of critical nonlinear Schrodinger equations below L^2 , *Discrete and Continuous Dynamical Systems A*, 33(2013), 1389-1405.
17. S. Machihara and T.Ozawa, Some inequalities related to the Lorentz spaces, *Hokkaido Math. J.*, (in press)
18. Y. Cho and T.Ozawa, A note on the existence of nontrivial solutions to a semilinear elliptic problem, *Kyushu J. Math.*, (in press)
19. T.Ozawa and K. Rogers, Sharp Morawetz estimates, *J. d' Anal. Math.*, (in press)
20. T. Gonda, S.Machihara and T.Ozawa, On the semilinear Schrödinger equation with time dependent coefficients, *Math. Nachr.*, (in press)
21. T.Ozawa and K. Rogers, A sharp bilinear estimate for the Klein-Gordon equation in \mathbb{R}^{1+1} , *Int. Math. Res. Not. IMRN* (in press)
22. N. Hayashi, T.Ozawa and K. Tanaka, On a system of nonlinear Schrödinger equations with quadratic interaction, *Ann. Inst. Henri Poincare, Analyse non lineaire* (in press)
23. S. Machihara T.Ozawa and H. Wadade, Hardy inequalities on balls, *Tohoku Math. J.* (in press)
24. G. Hoshino and T.Ozawa, Analytic smoothing effect for nonlinear Schrodinger equation in two space dimensions, *Osaka J. Math.* (in press)
25. Y. Cho, H. Hajaiej, G. Hwang and T.Ozawa, On the Cauchy problem of fractional Schrodinger equation with Hartree type nonlinearity, *Funkcilaj Ekvacioj* (in press)
26. N.Ikoma and H.Ishii, Eigenvalue problem for fully nonlinear second-order elliptic PDE on balls. *Ann. Inst. H. Poincare Anal. Non Lineaire* 29 (2012), no. 5, 783-812.
27. Y.Fujita and H.Ishii, Uniqueness sets for minimization formulas. *Differential Integral Equations* 25 (2012), no. 5-6, 579-588.

28. G.Barles, H.Ishii and H.Mitake, On the large time behavior of solutions of Hamilton-Jacobi equations associated with nonlinear boundary conditions. Arch. Ration. Mech. Anal. 204 (2012), no. 2, 515-558.
29. H.Ishii and P.E.Souganidis, A PDE approach to small stochastic perturbations of Hamiltonian flows. J. Differential Equations 252 (2012), no. 2, 1748-1775.
30. J.Harada and M.Otani, Multiple solutions for semilinear elliptic equations with nonlinear boundary conditions. Electron. J. Differential Equations 2012, No. 33, 9 pp.
31. J.Harada and M. Ôtani, Blow-up and continuation of solutions for some semilinear parabolic equations with nonlinear boundary conditions, Libertas Mathematica, New series, No.2 Vol. 32 (2012), pp. 111-153,
32. Alain Haraux and M. Ôtani, Analyticity and regularity for a class od second order evolution equations, Evolution Equations and Control Theory, No. 1 Vol. 2 (2013), pp. 101-117.
33. H.Kozono, Y.Sugiyama and T.Wachi, Existence and uniqueness theorem on mild solutions to the Keller-Segel system in the scaling invariant space. J. Differential Equations 252 (2012), no. 2, 1213-1228.
34. H.Heck, H.Kim and H.Kozono, On the stationary Navier-Stokes flows around a rotating body. Manuscripta Math. 138 (2012), no. 3-4, 315-345.
35. H.Kim and H.Kozono, On the stationary Navier-Stokes equations in exterior domains. J. Math. Anal. Appl. 395 (2012), no. 2, 486-495.
36. H.Kozono, Y.Sugiyama and Y.Yahagi, Existence and uniqueness theorem on weak solutions to the parabolic-elliptic Keller-Segel system. J. Differential Equations 253 (2012), no. 7, 2295-2313.
37. R.Farwig, H.Kozono and T.Yanagisawa, Leray's inequality in general multi-connected domains in \mathbb{R}^n . Math. Ann. 354 (2012), no. 1, 137-145.
38. H.Kozono and T.Yanagisawa, Global Compensated Compactness Theorem for General Differential Operators of First Order. Arch. Ration. Mech. Anal. 207 (2013), no. 3, 879-905.
39. J. Byeon, K. Tanaka, Semi-classical standing waves for nonlinear Schrödinger equations at structurally stable critical points of the potential, to appear in J. Euro Math. Soc.
40. J. Byeon, K. Tanaka, Semiclassical standing waves with clustering peaks for nonlinear Schrödinger equations, to appear in Memoir Amer. Math. Soc.

41. J. Byeon, K. Tanaka, Nonlinear elliptic equations in strip-like domains, *Advanced Nonlinear Studies* 12 (2012), 749–765.
42. J. Hirata, N. Ikoma, K. Tanaka, Nonlinear scalar field equations in \mathbb{R}^N : mountain pass and symmetric mountain pass approaches, *Topological Methods in Nonlinear Analysis* 35 (2010), 253–276.
43. N. Ikoma, K. Tanaka, A local mountain pass type result for a system of nonlinear Schrödinger equations, *Calculus of Variations and Partial Differential Equations*, Volume 40, Numbers 3-4, 449-480 (2011).
44. 田端正久, 野津裕史, 非格子点関数値を要する有限差分近似, *日本応用数理学会 論文誌*, Vol.22, No.3, pp. 171-179, 2012.
45. R. Hyakuna and M. Tsutsumi, On existence of global solutions of Schrodinger equations with subcritical nonlinearity for L_p -initial data, *Proc. Amer. Math. Soc.* 140 (2012), no. 11, 3905-3920.
46. A.Fuwa, T.Ishiwata and M. Tsutsumi, Finite difference scheme for the Landau-Lifshitz equation. *Jpn. J. Ind. Appl. Math.* 29 (2012), no. 1, 83-110.
47. J.Lin, K.Nishihara and J.Zhai, Critical exponent for the semilinear wave equation with time-dependent damping. *Discrete Contin. Dyn. Syst.* 32 (2012), no. 12, 4307-4320.
48. K.Nishihara, Asymptotic behavior of solutions for a system of semilinear heat equations and the corresponding damped wave system. *Osaka J. Math.* 49 (2012), no. 2, 331-348.
49. Masahiro Kunimoto, Kazuaki Endo, Hiromi Nakai, Takayuki Homma, Acceleration effect of thiourea on the oxidation reaction of hypophosphite ion on Ni surface, *Electrochimica Acta* (in press) (DOI: 10.1016/j.electacta.2012.09.070)
50. K.Kuto, and Y.Yamada, On limit systems for some population models with cross-diffusion. *Discrete Contin. Dyn. Syst. Ser. B* 17 (2012), no. 8, 2745-2769.
51. E.Latos, T.Suzuki and Y.Yamada, Transient and asymptotic dynamics of a prey-predator system with diffusion. *Math. Methods Appl. Sci.* 35 (2012), no. 9, 1101-1109.
52. Georgia Karali, Takashi Suzuki and Y.Yamada, Global-in-time behavior of the solution to a Gierer-Meinhardt system, to appear in *Discrete Contin. Dyn. Ser. A*.
53. 堀雄貴, 内田優悟, 中井秀聡, 山本勝弘, 水平管路内の水柱分離・再結合時に生じるスパイク状圧力について, *ターボ機械*, Vol.40, No.10(2012),pp.620-629.
54. J. Vankerschaver, H. Yoshimura and M. Leok, The Hamilton-Pontryagin Principle and Multi-Dirac Structures for Classical Field Theories, *J. Math. Physics*, 53, 072903, 2012, 25pp.

55. K. Onozaki and H. Yoshimura, Dirac Reduction of binary asteroid systems with symmetry and stability of relative equilibria, Theoretical & Applied Mech. Letters, 3, 130111-130118, 2013.
56. T. Yanao and K. Yoshikawa, Chiral selection in supercoiling and wrapping of DNA, Polymer Science, Ser. C, Vol. 54, pp. 11-20 (2012)
57. W. S. Koon, H. Owhadi, M. Tao, and T. Yanao, Control of a model of DNA division via parametric resonance, Chaos, Vol. 23, 013117 (pp. 1-18) (2013).
58. Y. Yamauchi, Life span of positive solutions for the Cauchy problem for the parabolic equations, International Journal of Differential Equations, Article ID 417261, 2012, 16 pp.
59. T. Kashiwabara and I. Oikawa, Remarks on numerical integration of L^1 norm, JSIAM Letters, Vol.5 (2013) pp.5–8.
60. M. Ohnawa, Convergence rates toward the traveling waves for a model system of radiating gas with discontinuities, Kinetic and Related Models, 5 (2012), 857–872.
61. S. Nishibata, M. Ohnawa and M. Suzuki, The mathematical justification of the Bohm criterion in plasma physics, Advanced Studies in Pure Mathematics, Math. Society of Japan. (in press)

II. Review papers

1. 山田義雄, 交差拡散を伴う非線形拡散方程式系—数理生態学に現れる反応拡散方程式系—, 数学, 64 巻 (2012), pp. 384 - 406.

III. Books and Editorial works

1. Eds. M. Sugimoto, T. Ozawa: Harmonic Analysis and Nonlinear Partial Differential Equations, RIMS Kokyuroku Bessatsu B33, 2012, 121pp.
2. Eds. Ozawa, T. and Giga, Y. and Jimbo, S. and Takaoka, H. and Tsutaya, K. and Tonegawa, Y. and Nakamura, G Proceedings of the 37th Sapporo Symposium on Partial Differential Equations, 2012
3. 田端正久(分担執筆), 応用数理ハンドブック, コロナ社, 2013.
4. 堤正義, 逆問題 理論および数理科学への応用, 朝倉書店, 2012.

IV. Conference Proceedings and others

1. M. Tabata, Quadrature-Free Characteristic Methods for Convection-Diffusion Problems, in B.H.V. Topping, (Editor), "Proc. Eighth Int'l Conf. on Engineering Computational Technology", Civil-Comp Press, Stirlingshire, UK, Paper 81, 2012. doi:10.4203/ccp.100.81
2. M. Tabata, Behavior of finite element solutions subject to strong-type Robin conditions, Proc. Propagation of Ultra-large-scale Computation by the Domain-decomposition-method for Industrial Problems, edd. H. Kanayama, Inst. Math for Industry, Kyushu Univ., Fukuoka, 2013.(to appear)
3. H. Yoshimura and H. Jacobs, Tensor Products of Dirac Structures and Interconnection of Implicit Lagrangian Systems, Proc. of 20th International Symposium on Mathematical Theory of Networks and Systems 2012, University of Melbourne (8 pages).
4. K. Onozaki and H. Yoshimura, Dirac Reduction of Binary Asteroid Systems with Symmetry and Stability of Relative Equilibria, The 6th Asian Conference on Multibody Dynamics, Vol.6, No.12300, pp.1-8, 2012.